


Content

| | |
|---------------|---|
| Title : | Effluent Standards  |
| Date : | 2016.01.06 |
| Legislative : | Promulgation of amend provisions the 2 Article by Order of Huan-Shu-Shui-Zi No. 1040110326, January 6, 2016 |
| Content : | <p>Article 2</p> <p>The water quality items and limits for the effluent standards of the enterprises, sewage systems and building sewage treatment facilities are specified in Table 1.</p> <p>For the wastewater or sewage that an enterprise or sewage system discharges into a special receiving water body in the total quantity control zone (hereinafter referred to as the "Total Quantity Control Zone") of a water body for farmlands that must be protected as announced by the special municipality, county or city competent authority, the requirements of Table 2 shall be applicable to the limits of copper, zinc, total chromium, nickel, cadmium and hexavalent chromium in such wastewater or sewage. However, the requirements of Table 2 are not applicable in case enterprises or sewage systems located in the Total Quantity Control Zone discharge wastewater or sewage through an attached pipeline along an irrigation or drainage channel, or through a joint pipeline and with the discharge point located outside the Total Quantity Control Zone so that wastewater is not discharged within the Total Quantity Control Zone, or do not discharge wastewater or sewage into a receiving water body in the Total Quantity Control Zone even with the discharge point located inside the Total Quantity Control Zone.</p> <p>Where other effluent standards are established for any industries or any enterprises, sewage systems and building sewage treatment facilities in the Total Quantity Control Zone, such effluent standards shall apply.</p> |

Data Source : Ministry of Environment Laws and Regulations Retrieving System